

% ORIGINAL

HIGH PERFORMANCE FLOOR MADE BY KRONOSPAN

everyone's favourite flooring



www.krono-original.com





Elegant floors. Aesthetically pleasing and high quality. Available in more than 160 attractive designs to give your surroundings a unique flair. Let yourself be inspired by the diversity of Krono Original® floors.

Welcome to our world

| Company profile | 6 |
|-------------------------------------|----|
| Design and surface textures | 8 |
| Before-and-after-Story | 10 |
| Features guide | 15 |
| Assortment | 17 |

Collections

| Titan Prestige | 20 | Variostep Long | 46 |
|-------------------|----|-----------------------|----|
| Floordreams Vario | 24 | Impressions | 50 |
| Vintage Long | 30 | Super Natural Narrow | 56 |
| Vintage Narrow | 34 | Super Natural Classic | 60 |
| Vintage Classic | 40 | Variostep Wide Body | 68 |
| | | Variostep Prestige | 72 |

Variostep Classic

78

| Castello Classic | 88 |
|------------------|----|
| Kronofix Classic | 94 |
| | |

| Accessories | 102 |
|---|-----|
| Packaging information | 105 |
| Skirting boards – Decor matching overview | 106 |





4

Made by Kronospan

Dependable. Durable. Close to our customers. For us 'being close to you' is not simply a geographical concept but an integral part of our philosophy. Close to you in our way of thinking, in discernment and in understanding your needs. Which means we are always there for you.



35-hectare factory complex in Lampertswalde (Germany) – equivalent to 50 football pitches

Lampertswalde, Germany



Facts & figures

- More than 15,000 employees at over 40 manufacturing and distribution sites worldwide – an international outlook with a strong local presence.
- Our products are popular in more than 110 countries around the world.

Over 120 years in the business. More than 40 manufacturing and distribution sites around the world. Satisfied customers in more than 110 countries. But still both feet firmly on the ground.

What began in an Austrian sawmill back in 1897 has since become a global success story. As the world's leading manufacturer of laminate flooring, we have established our reputation in over 110 countries around the world. This is due in no small part to our pursuit of perfection. Because we always want to be better than our competitors. We know exactly what our customers want.

That's why we leave nothing to chance. We make everything ourselves. Which includes manufacturing the coreboards, making the adhesive and producing the impregnates – vertical integration that gives us total control over the entire manufacturing process. And over every single detail.

You can see the result in our floors. You can even feel it. Because thanks to our innovation, we have succeeded in getting closer and closer to nature. With all the advantages that a laminate floor offers, such as easy maintenance, all-purpose application and the ingenious click system for easy installation. It couldn't be simpler. And yet none of this would have been possible without our years of experience and extensive research. Because we know what our customers want.









Over 160 designs. From classic to modern. So there will always be a floor that is to your taste.

Choose from an incredible variety of designs that are the perfect match for any interior. We currently have more than 160 in our product range. One is bound to be right for you.

We are constantly coming up with new ideas that keep us one step ahead of the latest fashion. To do this, we have a team of dedicated designers who not only track current trends but also anticipate them. They know exactly what will get customers excited. With the whole world of design and comfort to their feet. Superior design for us means sleek appearance coupled with a sensual feel. Whether classical or modern, opulent or puristic, Krono Original® offers top-quality products to turn even the simplest of rooms into a unique, cosy living space.


But there is more to design than just appearance. Substance also counts. That's why we are constantly developing our products to create even more comfortable surroundings and provide greater comfort under foot. An antibacterial coating that inhibits bacteria growth. A robust surface that resists wear and tear. Better protection against micro-scratches which can be caused by mechanical stress. For lasting enjoyment of your floors. And for a good homely feeling.

Natural look

...plus all the practical surface properties that you expect from a laminate floor. Easy to maintain. Easy to install. Protection against micro-scratches. And an anti-bacterial coating. Modern methods make all of this possible while modern technology enhances the visuals. Krono Original® – the floors of the future.










Rough Stone

Nature Line

Antique Stone

design and surface textures



Collection Vintage Long 5954 Hardy Oak

xps 5.0 Underlay [1]

(cit

Where once there were dark beams, low light and bare floorboards, there is now a welcoming, light-infused studio to relax in. A before-and-after story with the WOW! effect.

What started off as a dark and dingy old attic has been changed beyond recognition. Because thanks to the use of modern extra-long Krono Original[®] floor panels, the space has undergone a miraculous transformation.

Four simple steps to a new living environment. Here's how:

[1] Underlay with 22 dB (xps 5.0) sound insulation ensures that the sheer delight of the occupants with their new living space does not impinge on the peace and quiet of the people in the room below. It also compensates for irregularities in the subfloor of up to 4 mm. (NB: As the subfloor is made of wood, a vapour barrier should not be used.) [2] In rooms that exceed eight metres in length, an expansion joint must be created in the middle. Consistent with the colouring, this should be in the form of a 34 mm stainless steel transition profile from the professional parts list (91221). Because of its two-part design consisting of an upper and a lower bar, installation is straightforward and it allows the material to expand and contract naturally. [3] The expansion joint around the fireplace was concealed behind an elegant skirting board which echoes the tone and decor of the floor. Using matching clips (91501), the attachment of the skirting is cleverly concealed.

[4] Now all that remains is to sweep the new floor clean with a fine broom. This is also the right time to apply the first coat of the add2 (90411) floor care product, which is ideal for keeping the floor in top condition. This tried-and-tested cleaning agent has been specially formulated to bring the best out of high-quality Krono Original® floors. It prevents the accumulation of dirt, protects the edges and ensures that the room continues to smell wonderful.



before-and-after story





The best moments in life are when you feel you're in the right place at the right time.



www.krono-original.com

K061 Rusty Barnwood [Super Natural Classic]

You'll love our floors. Easy installation, A.B.C Anti Bacterial Coating, Microscratch Protect surface or Authentic Embossed texture are just a few of the benefits of Krono Original® floors.

Krono Original[®] floors are tested, certified and full of character.



stain and imprint resistant Whatever you might spill, be it red wine, oil or coffee, don't panic; it can be easily removed. Krono Original® is also abrasion resilient, robust and durable.

Multi Patent Indemnity Enjoy 100% security with ()multiple patent protection for all our products! In addition to the Kronoflooring patents, this Multi Patent Indemnity certificate provides extensive protective rights for VÄLINGE INNOVATION AB international and a choice of UNILIN patents worldwide. This involves assured, unrestricted product use of the glue-free click system for the trade.



TUV Regular independent quality checking via external testing and auditing of the production process as part of the quality assurance system of Kronoflooring.

R10 Anti-slip classes Safety is something we put great emphasis on. Classification in antislip classes (R9 and R10) has been achieved through specially developed surface structures, which address the requirements for floor coverings in the workplace and commercial areas where a high risk of slipping is present.



Installation The Krono Itic 200 pure Original® installation systems have

been specifically designed to make fitting your laminate flooring as easy and hassle free as possible. The click profiles allow individual panels to be joined together quickly with minimal tools or complications.



A.B.C. Anti Bacterial Coating Keeping your

flooring as clean and free of bacteria as possible is naturally a major concern. We can't see germs, but we all know the problems they can cause if left unchecked. Allergies can be aggrevated and illness can result. A Krono Original® A.B.C. Anti Bacterial Coating inhibits the growth of bacteria on your flooring and provides you with the peace-off-mind that comes from a healthy home environment.



Guaranteed Anti-Static We've all experienced static at some stage and it's pretty unpleasant. No doubt a 'shock' has caused you some discomfort when touching a door handle or using an electrical appliance in your home, so you'll be pleased to hear that help is at hand. Krono Original® Anti-Static floors provide complete protection against unpleasant shocks. The Anti-Static is built-in and guaranteed for the life of the floor. In addition, these floors do not attract dust and dirt in the conventional way and are therefore incredibly easy to keep clean.

| feels real | Authentic Embossed The high quality Authentic |
|--------------------|---|
| authentic embossed | Embossed structures feature elegant contrasting and a |
| thrilling multi-g | gloss effect that emphasises the depth of the structure with matt |
| and gloss ele | ements that reflect the light differently. The synchronous pores |
| follow the gro | ain of the decor, meaning they flawlessly mimic the character |
| of natural wo | ood. |

Handscraped A breathtakingly elegant and realistic oiled finish, with gentle irregular undulations, inspired by traditional Amish craftsmanship. The soft matt surface replicates the hardwood area of solid flooring gently polished over time due to footfall. Meanwhile the deep matt pores are highlighted with glossy accents.

Microscratch Protect This especially durable surface will protect your floors even better against microscratches which can occur through heavy use. With Microscratch Protect, your flooring will be well-protected against fine scratches and everyday wear and tear.



are environmentally friendly as standard made of 90% wood sourced from sustainably managed forests. What's more, the entire production chain from raw materials to the finished product - has been certified and is regularly inspected by independent experts, ensuring peace of mind for you – and protection of our environment.



Blue Angel Krono Original® has been awarded the Blue Angel eco-label, a German quality seal that provides a guarantee of protection for people and the environment.

- Tested germs: Staphylococcus aureus, Escherichia coli Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling on a scale from A+ (very low-emission) to C (high-emission). For further information: www.eco-institut.de/en/portfolio/emissions-dans-lair-interieu www.eco-institut.de/en
- www.pefc.org www.scsglobalservices.com/floorscore





Virtual room set-up at www.krono-original.com

Take the guesswork out of planning the room of your dreams. Simply visit the Floor Studio at www.krono-original.com and watch your ideas take shape. Go ahead, be as bold and creative as you like.




The benefits at a glance.

| Range Plank Size | Utilization class | AC Rating | Guarantee** | Aquastop | Anti Bacterial Coating*** | Joint | Groove | Microscratch Protect | Authentic Embossed | Handscraped | Antistatic | SKUs total |
|---|----------------------|--------------|--------------|------------------------------|---|---------------------|--------------------|-------------------------|-----------------------------------|----------------------|------------|---------------|
| titan prestige 1285 x 157 x 14 mm | 33 | AC5 | 30 years | 14 mm HDF | Asti Bocterid Coning Ast.C. | tide 2go pure | 4 red grows | microscratch protect | feels reel authentic embassed | Landscoped | | 5 |
| floordreams vario 1285 x 192 x 12 mm | 33 | AC5 | 30 years | & [12mm HDF | Anti Bosterid Costing A.S.C. | 1dix 2go | 4 red grows | microscratch protect | feels red | | | 8 |
| ∨intage long 2000 x 192 x 10 mm | 32 | AC4 | 30 years | 10 mm HDF | And Bortenid Conting N.S.C. 0 | Tdi(2go | 4 red grows | microscratch protect | feels reel outwork emborse | handscraped | | 6 |
| vintage narrow 1285 x 123 x 10 mm | 32 | AC4 | 30 years | 10 mm HDF | And Besterial Company, SST A.R.C. | kdic 2go pure | 4 red prove | nicouradà protec | feels real contractif embassie | Rendscraped | | 3 |
| ∨intage classic 1285 x 192 x 10 mm | 32 | AC4 | 30 years | 10 mm HDF | And Bootnid Configuration | 1dic2go | 4 red growe | microscratch protect | feels real outheritic embossed | handscraped | | 13 |
| variostep Iong 2000 x 192 x 8 mm | 32 | AC4 | 20 years | 4) 4) 1) 1 8mm HD7 | Anti Bostorid Controg | Tdic2go | 4 red growe | | | | | 4 |
| Impressions 1285 x 327 x 8 mm | 32 | AC4 | 20 years | 4) 4) 6) ‡ 8mm HDF | Anti Bocterial Cooling | Idi: 2go | 4 red grove | | | | | 6 |
| super natural narrovv 1285 x 123 x 8 mm | 32 | AC4 | 20 years | (4) (4) (5) (1) Brinn HDF | Anti Bosterid Cooling | hilit 2ga puro | 4 red groove | | feels reel withentic embassed | | | 4 |
| super natural classic 1285 x 192 x 8 mm | 32 | AC4 | 20 years | 4) 4) 6) 1 Emm HD7 | And Bosterid Cooling | Tdk 2go | 4 red growt | | feels real | | | 23 |
| variostep wide body 1285 x 242 x 8 mm | 32 | AC4 | 20 years | ý ý ý | Anti Bosterial Cooling A.S.C. | Idic2ge | 4 real groove | | | | | 6 |
| variostep prestige 1285 x 157 x 8 mm | 32 | AC4 | 20 years | Á Á Á Smm HDF | Anii Borterial Coning A.B.C | tifi (2go pure | 4 red groovs | | | | | 4 |
| Variostep classic 1285 x 192 x 8 mm | 32 | AC4 | 20 years | Á Á Á Smm HDF | And Bacterial Cooling A.B.C. | Tdic2go | 4 real groove | | | | | 40 |
| castello classic 1285 x 192 x 8 mm | 32 | AC4 | 20 years | 4) 4) 5) 1 8mm HDF | Anti Bacterid Cooling A.B.C 9 | Twin ekc | | | | | | 25 |
| kronofix classic 1285 x 192 x 7 mm | 31 | AC3 | 15 years | 4) 4) 4) 17mm HDF | And Bosterial Country | Pwin dz | | | | | | 15 |
| selected decors ** The guara | ntee is valid for | domestic use | according to | the conditions of gu | varantee (detailed te | rms of guarantee: w | ww.krono-original. | com). *** Testec | l germs: Staphyloco | occus aureus, Escher | chia coli | Σ 162 |



www.krono-original.com

assortment







www.krono-original.com

14 mm laminate in the thickness of engineered flooring
Durable and hard wearing
Guaranteed lifetime integrated Anti-Static effect
Microscratch Protect surface
A.B.C. Anti Bacterial Coating
Bevelled edges on all four sides of the panel
Suitable for heavy domestic and intensive commercial use

日間の時間に、彼らうに

8573 Harlech Oak

The premium floor built to withstand whatever life throws at it.

Indulge your taste for first-class living with Titan Prestige. Combining exquisite looks with a high surface quality and protection against static shocks, Titan Prestige offers you a pleasing palette of strong 14 mm panels in 157 mm width with an Authentic Embossed or even Handscraped Finish. It gives you the opportunity to express your distinctive sense of style, at home or in the office.

Integrated Anti-Static effect Durable, hard wearing, anti-static



titan prestige

AC5, Class 33, 1285 x 157 x 14 mm

Available in Authentic Embossed texture.





Protects against static shocks. If you've ever suffered a shock from static electricity when touching a door handle or an electrical appliance, you'll appreciate Titan Prestige Anti-Static flooring, which provides complete protection against unpleasant shocks. Protection that's guaranteed to last for the life of the floor.

- No risk of spark-overs
- Guaranteed lifetime integrated Anti-Static effect
- Easy to clean repels dust and dirt

5947 Historic Oak Planked, Authentic Embossed (HO)



intensive commercial use




8573 Harlech Oak Planked, Authentic Embossed (LP)



8633 Shire Oak Planked, Authentic Embossed (LP)





AC5, Class 33, 1285 x 157 x 14 mm

24

Bevelled edges on all four sides of the panel Microscratch Protect surface A.B.C. Anti Bacterial Coating

1clic2go – Quick. Easy. Secure. Audible "click" when the end sections connect

Durable and hard wearing

5541 Bedrock Oak

Extra-tough floors in high quality.

Beautiful rooms deserve a beautiful floor. With Floordreams Vario from Krono Original®, even the most ambitious design concepts can be realised. The perfect choice for the commercial sector – especially with heavy footfall. Because the surface is not only impressive for its aesthetic appearance with attractive decors, but also for its high durability. A further striking feature: the 4-sided bevel for a luxurious look. A floor for discerning users – in every respect.

Floordreams Vario falls into abrasion class AC5








AC5, Class 33, 1285 x 192 x 12 mm

Available in Authentic Embossed texture.





Suitable for heavy domestic and intensive commercial use



8634 Light Brushed Oak Planked, Authentic Embossed (LP)







8633 Shire Oak Planked, Authentic Embossed (LP)




30 year guarantee

8630 Aspen Oak Planked, Authentic Embossed (LP)



KO60 Alabaster Barnwood Planked, Authentic Embossed (BW)





floordreams vario

27

AC5, Class 33, 1285 x 192 x 12 mm



handscraped

The unique charm of our handscraped floor lies in its soft, oiled appearance with gentle, natural irregularities. Inspired by traditional handicrafts, this matt structure with elegant, glossy accents resembles a hand-finished wooden surface.

5948 [Vintage Classic]



A surface that looks hand-finished





"I'm a unique individual, with a unique personality. My home reflects this. I insist on surrounding myself with fabrics and furnishings that reflect my personal taste and my attitude to life. Flooring is crucial. It sets the tone as soon as you enter a room. I chose a Krono Original[®] floor with handscraped texture. It has style, is easy to lay and is perfectly simple to care for. It ticks all my boxes."







handscraped



The authentic floorboard look.

The traces of time are precious and beautiful so it's little wonder that vintage style has long been a dominant trend in homes of sophistication. The Krono Original[®] Vintage Long flooring is the perfect addition to our Vintage collection - a stylish highlight by itself and when combined with other lengths and widths in the Vintage Narrow and Vintage Classic ranges. Its structured surface looks hand-finished and lends our Vintage flooring an authentic, down-toearth charm.

Suitable for mixed installations



format

Bevelled edges on all four sides of the panel Microscratch Protect surface A.B.C. Anti Bacterial Coating


1clic2go – Quick. Easy. Secure. Audible "click" when the end sections connect





AC4, Class 32, 2000 x 192 x 10 mm

Available in Authentic Embossed texture.





Suitable for heavy domestic and medium commercial use



Tip:

Give your home a timeless ambiance with its own, unique charm by combining our Vintage collections. By installing a variety of different lengths and widths, you can create a unique floor to suit your own personal tastes.

You can combine any flooring bearing this symbol; see also Vintage Narrow (1285 x 123 mm), page 34, and Vintage Classic (1285 x 192 mm), page 40.

8156 Red River Hickory

5943 Natural Hickory Planked, Authentic Embossed (VH)



5947 Historic Oak Planked, Authentic Embossed (HO)









5953 Chantilly Oak Planked, Authentic Embossed (HO)



5954 Hardy Oak Planked, Authentic Embossed (HO)



8156 Red River Hickory Planked, Authentic Embossed (VH)







AC4, Class 32, 2000 × 192 × 10 mm



Microscratch Protect surface Bevelled edges on all four sides of the panel A.B.C. Anti Bacterial Coating Iclic 2go pure: Clickable short and long edges

8157 Smoky Mountain Hickory

Charming narrow planks.

Vintage Narrow provides the ideal stage for vintage interior design; found pieces, design classics and accessories from different eras need an elegant, yet modest platform to really work the room. The handy floorboard format with a matt, hand-scraped surface and a synchronous structure makes this flooring really special. Install on its own or in stylish combination with Vintage Classic and Vintage Long for down-to-earth elegance with timeless charm.

Suitable for mixed installations


Classic skirting board (K58C), perfect for covering expansion joints

Width: 123 mm

A



Trendy skirting board, white, profiled, Available in Authentic Embossed texture.







8156 Red River Hickory Planked, Authentic Embossed (VH)



8157 Smoky Mountain Hickory Planked, Authentic Embossed (VH)







AC4, Class 32, 1285 x 123 x 10 mm

microscratch protect

Worried about scratches? Not anymore! With a robust, durable surface, your floor is well-protected against the fine scratches that occur through high mechanical stress – your guarantee for carefree living.

5539 [Vintage Classic]

38

AR I



Protection against micro scratches





"When choosing my floor, I naturally think about aesthetics, but I also care about durability – because top functionality is only guaranteed when aesthetics and usability work as one.

Thanks to Microscratch Protect, my floors can reliably withstand the mechanical stresses of everyday life, whether big or small."







microscratch protect

Microscratch Protect surface Authentic Embossed texture Bevelled edges on all four sides of the panel A.B.C. Anti Bacterial Coating

1clic2go – Quick. Easy. Secure. Audible "click" when the end sections connect

5954 Hardy Oak

A timeless combination.

A tasteful fusion of old and new, Krono Original[®] Vintage Classic flooring provides the perfect foundation for a thrilling juxtaposition of tradition and modernity. The popular vintage style has long been in fashion, because it embodies the precious traces of time, revealing their beauty in partly handfinished aesthetics. Vintage Classic, Vintage Long and Vintage Narrow flooring can look wonderful when used together in the same room, offering a stylish appearance in the spirit of the times.








AC4, Class 32, 1285 x 192 x 10 mm

Available in Authentic Embossed texture.





Suitable for heavy domestic and medium commercial use




101 White Lacquered Hickory Planked, Authentic Embossed (VH)









R9



30 year guarantee

5537 Tawny Chestnut Planked, Authentic Embossed (RC)






5535 Antique Chestnut Planked, Authentic Embossed (RC) R9 anti-slip class






AC4, Class 32, 1285 x 192 x 10 mm

Available in Authentic Embossed texture.





Suitable for heavy domestic and medium commercial use





5947 Historic Oak

Planked, Authentic Embossed (HO)









45







AC4, Class 32, 1285 x 192 x 10 mm

1

i Natural looking surface texture

Bevelled edges on all four sides of the panel

A.B.C. Anti Bacterial Coating

1clic2go – Quick. Easy. Secure. Audible "click" when the end sections connect

K064 Elemental Oak

.

Elegant long planks in traditional solid wood format.

format

The generously proportioned floorboard format will give your room a sense of vastness and air of grandeur. With a striking two-metre length, the flooring is sure to impress with its elegant, yet rustic realwood aesthetic - a new dimension in generosity. The wonderful, natural-looking surface texture will create an extravagant ambiance in the very best tradition.



pur 2.0 insulating underlay: provides a pleasant, soft feeling underfoot; also suitable for underfloor heating





AC4, Class 32, 2000 x 192 x 8 mm

Available in Nature Line or Super Matt texture.





Suitable for heavy domestic and medium commercial use



5543 Colorado Oak Planked, Nature Line



8093 Lancaster Oak Planked, Nature Line



8837 New England Oak Planked, Super Matt



KO64 Elemental Oak Planked, Nature Line



20 year guarantee





AC4, Class 32, 2000 x 192 x 8 mm

50

Staggered format

. Art

A.B.C. Anti Bacterial Coating

1clic2go – Quick. Easy. Secure. Audible "click" when the end sections connect

Extra-fast installation thanks to XL format

It is possible to lay the floor in a staggered or grid format, due to the 2 tiles per panel

K060 Alabaster Barnwood

The look of Ceramic Tiles without the labour.

Get the paved look of wood or stone slabs without the painstaking labour and expense of installing ceramic tiles. Place in a grid or a staggered pattern to achieve your desired design effect and enhance any room – from the kitchen to the family room.

Authentic U-groove





impressions

AC4, Class 32, 1285 x 327 x 8 mm

Available in Authentic Embossed, Barnwood, Antique Stone, Rough Stone or Super Matt texture.











Suitable for heavy domestic and medium commercial use



Tip:

A joint sealant is especially practical in the kitchen. We recommend Clickguard. Apply quickly to the joints when installing your floor for permanent protection against moisture.

8282 Himalayan Slate Tile, Rough Stone








KO35 Crosstown Traffic Tile, Antique Stone





AC4, Class 32, 1285 x 327 x 8 mm

impressions

authentic embossed

Elegant contrasting and a thrilling multi-gloss effect recreate high-quality structures with the unique character of natural wood. The tactile synchronous pores follow the grain of the decor. Beauty you can see and feel.

5943 [Vintage Classic]

M7



A synchronous, decorative grain and structure





"I want to enjoy the natural beauty of real wood without the downsides associated with it. For that reason Authentic Embossed by Krono Original® is my choice. Authenticity you can see and feel. Structure you can touch. Synchronous pores unite classy real-wood aesthetics with comfort and practicality for a top-quality laminate floor."







authentic embossed



Spectacular look and finish.

With these neat narrow panels, you will capture the beauty of real oak and create a stunning, luxurious interior design concept to suit your home. The Authentic Embossed deep-brushed matt and gloss pores in the surface structure, combined with the bevelled edges on all sides, create a highly attractive style. The easy to handle panel size not only looks superb, but also makes fitting quick and easy giving you a perfect result.

Parquet effect with all-round bevel and narrow planks




Matt surface with an Authentic Embossed glossy pore Bevelled edges on all four sides of the panel A.B.C. Anti Bacterial Coating 1clic 2go pure: Clickable short and long edges



super natural narrow

AC4, Class 32, 1285 x 123 x 8 mm

Available in Authentic Embossed texture.





Suitable for heavy domestic and medium commercial use



8630 Aspen Oak Planked, Authentic Embossed (LP)



8575 Blonde Oak Planked, Authentic Embossed (LP)



8573 Harlech Oak Planked, Authentic Embossed (LP)





super natural narrow

59

AC4, Class 32, 1285 x 123 x 8 mm



A stunning new achievement in realism.

Enjoy a high level of living comfort in every room with our Super Natural Classic collection. The matt or satin finished surfaces with Authentic Embossed glossy or deep matt pores reproduce the features of premium quality timber to give your floor a natural look and feel.

Synchronous pores for a natural look and feel



Bevelled edges

A.B.C. Anti Bacterial Coating

1clic2go – Quick. Easy. Secure. Audible "click" when the end sections connect



Insulation board wood 5.0 is particularly suitable for use with uneven subfloors

super natural classic

AC4, Class 32, 1285 x 192 x 8 mm

Available in Authentic Embossed texture.













Suitable for heavy domestic and medium commercial use

Tip:

Damage to the floor can be quickly and easily repaired with the miscible repair paste from add2. The set comes with a spatula for easy application.

8630 Aspen Oak Planked, Authentic Embossed (LP)



KO60 Alabaster Barnwood Planked, Authentic Embossed (BW)



K267 Enchanted Oak Planked, Authentic Embossed (PO)





K325 Silver Shadow Oak

nev

Planked, Authentic Embossed (RO)









20 year guarantee

8631 Castle Oak Planked, Authentic Embossed (LP)



8576 Loft Oak Planked, Authentic Embossed (LP)






8632 Colonial Oak Planked, Authentic Embossed (LP)



8633 Shire Oak Planked, Authentic Embossed (LP)





super natural classic

AC4, Class 32, 1285 x 192 x 8 mm

Available in Authentic Embossed texture.





Suitable for heavy domestic and medium commercial use



5543 Colorado Oak Planked, Authentic Embossed (HC)



5540 Valley Oak Planked, Authentic Embossed (HC)



8575 Blonde Oak Planked, Authentic Embossed (LP)



8634 Light Brushed Oak Planked, Authentic Embossed (LP)



K266 Hayfield Oak Planked, Authentic Embossed (PO)



8573 Harlech Oak Planked, Authentic Embossed (LP)



K326 Sundance Oak Planked, Authentic Embossed (RO)



K327 Hillside Oak Planked, Authentic Embossed (RO)



KO61 Rusty Barnwood Planked, Authentic Embossed (BW)



K065 Primal Oak Planked, Authentic Embossed (TO)





super natural classic

AC4, Class 32, 1285 x 192 x 8 mm

no problem

Krono Original[®] floors are a match for the everyday challenges of modern family life. The authentic look of real stone or wood with the wipe-clean convenience of a laminate. No wonder it's everyone's favourite.

5946 [Variostep Wide Body]



Durable and easy to clean





"A low-maintenance floor is important for us, because our home can be a bit chaotic. Who really likes housework? We like things that make life a little easier – not hours of cleaning. Thanks to our Krono Original® floor, we can relax, as even tough stains like red wine, coffee, fruit stains and nail polish can be removed with ease. Just one wipe and it's clean! What's more, our floor is abrasion-resistant and durable. Our verdict: it's the perfect choice for everyday living!"







no problem

68

Extra-wide at 242 mm

1

K063 Organic Oak

A beautiful wide plank effect.

Adorn your home with extravagant wide floorboards. Milled joints and natural, real-wood panel sizes create a distinctive solid-wood look that will give any room a unique ambiance. Flooring that's as close as it gets to real wooden floorboards in size and aesthetics.

Traditional hard-wood flooring look thanks to profiled bevels

Four sided groove Extra-fast installation thanks to XL format A.B.C. Anti Bacterial Coating 1clic2go – Quick. Easy. Secure. Audible "click" when the end sections connect

AC4, Class 32, 1285 x 242 x 8 mm



Reducer profile, suitable for transition between two floor coverings of different thicknesses; available in different designs



Available in Nature Line or Grained Timber texture.





Suitable for heavy domestic and medium commercial use



K271 Gossamer Oak Planked, Nature Line



5946 Rockford Oak Planked, Nature Line



KO64 Elemental Oak Planked, Nature Line



K063 Organic Oak Planked, Nature Line



K269 Eggshell Oak Planked, Grained Timber



7240 Holda Oak Planked, Nature Line







AC4, Class 32, 1285 x 242 x 8 mm



For stunning floor effects.

Perfect for both contemporary and traditional interior designs, Variostep Prestige is an exciting new flooring concept from Krono Original[®]. 157 mm wide, panels are 35 mm narrower than standard panels, with 4 bevelled edges enabling you to create a highly attractive parquet effect. It is the perfect flooring solution for any room – whether modern or traditional.

Four sided V-groove



Bevelled edge of plank creates perfect wooden floorboard effect

A.B.C. Anti Bacterial Coating

1clic 2go pure: Clickable short and long edges






AC4, Class 32, 1285 x 157 x 8 mm

Available in Rustic Finish, Nature Line or Grained Timber texture.





Tip

You can balance out height differences of up to 3 mm



7389 Antique Country Pine Planked, Rustic Finish



7843 Vista Oak Planked, Nature Line



KO64 Elemental Oak Planked, Nature Line





K067 Calypso Planked, Grained Timber



variostep prestige

75

AC4, Class 32, 1285 x 157 x 8 mm

anti bacterial coating – A.B.C.

You naturally want to keep your floor as clean and germ-free as possible. That's why Krono Original[®] applies an anti bacterial coating to all its flooring that inhibits bacteria growth. Together with regular cleaning, you can enjoy everyday life without worrying about your loved ones' health or well-being.

K038 [Kronofix Classic]

76



Inhibits bacteria growth





"Cleanliness is important, especially if you've got little ones or pets running around. That's why I chose Krono Original® with an anti bacterial coating. We can't see germs, but we all know the problems they can cause if left unchecked. Allergies can be aggravated and illness can result. A.B.C. inhibits bacteria growth, so I can rest assured my family and I are protected from any nasty surprises."







anti bacterial coating A.B.C.



78



K264 Golden Hammerwood

Striking floorboard aesthetics.

The Variostep Classic collection not only satisfies your demand for high quality and easy installation. Its V-grooves also create the cosy look of a genuine solid hardwood floor. The grooves give your floor a unique and charming solid plank appearance as well as creating a sense of space. So if you're looking to give your room a breathtaking new lease of life, you certainly won't be disappointed.

Four sided V-groove

Bevelled edges

A.B.C. Anti Bacterial Coating

1clic2go – Quick. Easy. Secure. Audible "click" when the end sections connect





Available in Authentic Embossed, Nature Line, Rustic Finish, Used Wood, Super Matt or Grained Timber texture.



4 real groove








Suitable for heavy domestic and medium commercial use



4274 Native Oak Planked, Nature Line

8199 Desert Oak Planked, Nature Line



5936 Lakeland Oak Planked, Used Wood

R9 5



8837 New England Oak Planked, Super Matt



KO62 Del Toro Oak Planked, Grained Timber



K057 Clearwater Oak Planked, Grained Timber



K338 Credenza Oak Planked, Nature Line



K264 Golden Hammerwood Planked, Nature Line





K282 Beach House Oak Planked, Nature Line





feels real

K263 Saloon Oak Planked, Grained Timber



K283 Coffee House Oak Planked, Nature Line








AC4, Class 32, 1285 x 192 x 8 mm

Available in Rustic Finish, Nature Line, Used Wood, Barnwood or Grained Timber texture.

naturally







5967 Sterling Asian Oak Planked, Nature Line

K066 Relic Oak

Planked, Grained Timber



K336 Iceberg Oak Planked, Nature Line



Anti Bacterial

A.B.C

.....

1 dic 2 go

8

K315 Restoration Oak Planked, Nature Line



8096 San Diego Oak Planked, Nature Line



KO45 San Dimas Pine Planked, Barnwood



K328 Old Grizzly Oak Planked, Nature Line




K262 Bluenote Oak Planked, Nature Line



K264 Golden Hammerwood Planked, Nature Line





K276 Vintage Cask Oak Planked, Grained Timber



5956 Mardi Gras Hickory Planked, Rustic Finish



8274 Modena Oak Planked, Rustic Finish








AC4, Class 32, 1285 x 192 x 8 mm

Available in Rustic Finish, Nature Line, Used Wood or Grained Timber texture.





K273 Legacy Oak Planked, Nature Line



KO31 Atlas Oak Planked, Grained Timber



8461 St. Moritz Oak Planked, Rustic Finish









KO70 Street Level Planked, Nature Line



5946 Rockford Oak Planked, Nature Line



K337 Hayloft Oak Planked, Nature Line



5544 Reclaimed Oak Planked, Nature Line



K277 Beatnik Oak Planked, Nature Line



K265 Timeworn Hammerwood Planked, Nature Line



K274 Hightrail Pine Planked, Nature Line







AC4, Class 32, 1285 x 192 x 8 mm

Healthy living certified.

Only wood from sustainably managed forests. Resource-efficient production. All of this amounts to an expression of a love that goes beyond numerical values: our love of nature.



Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling – on a scale from A+ (very low-emission) to C (high-emission). For further information: www.eco-institut.de/en/portfolio/emissions.dans-lair-interieur www.eco-institut.de/en

www.pefc.org www.scsglobalservices.com/floorscore

K267 [Super Natural Classic]

 EN 14041:2004/AC:2006; C₁₁-S1; E1; DS; PCP < 5ppm; 0,08 W/(m-K), Bodenbeläge für die Verwendung in Gebäuden, DOP: LW0012017/NB 0766; NB 0767; Kronoflooring GmbH, Mühlbacher Str.1, 01561 Lampertswalde, Germany,
 DoP siehe https://www.krono-original.com/de/guarantee







"I won't compromise my principles. When I buy something, I want to be sure it comes from sustainable sources. So I checked out Krono Original® floorings and found out they use timber from responsibly managed forests. I trust them because, being one of the world's leading manufacturers of laminate flooring, they have a sustainability policy which commits them to reducing their impact on the environment. Which means I can update my home with renewable materials."



Wood is our world. And wood is natural. Consequently, we are at one with nature. In our production and in our philosophy. Because we want to give back to nature what it gives us in quality of life. That's why we are careful to only use wood from sustainably managed forests. PEFC certified. With completely traceable origin. In our manufacturing processes too, the environment is always foremost in our mind. Our objective is to keep waste from production as low as possible – and indeed throughout the entire product life cycle.

We achieve a high recycling rate within the manufacturing process or alternatively use waste material to generate carbon-neutral energy for our production facilities. Our water and energy consumption is constantly monitored. This enables us to quickly identify potential savings and of course implement them in an environmentally friendly way.

This affinity for nature carries over into our products. Our floors are not only environmentally friendly, but also contribute to a healthy living environment. We are committed to using low emission bonding agents that contribute to the overall healthy balance of our products. With certified E1 quality. Quite naturally!

environment



A classic look with a new design.

Castello Classic is perfectly suited to both modern and traditional rooms, offering a number of different design options. The different decors ranging from trendy to classical are easy to clean and maintain, and are sure to bring you years of pleasure!

A.B.C. Anti Bacterial Coating Twin Clic – Classic locking system: Clickable short and long sides Stain, moisture and imprint resistance







Available in Authentic Embossed, Rustic Finish, Nature Line or Grained Timber texture.

Ant

naturally wood





Suitable for heavy domestic and medium commercial use



4280 Swedish Country Oak 2 Strip, Nature Line



8072 Nostalgia Oak Planked, Rustic Finish



1675 Spreewald Oak Planked, Rustic Finish



3969 Golden State Hickory 2 Strip, Nature Line



8521 Elegant Oak 2 Strip, Rustic Finish



K261 Distillery Oak 2 Strip, Grained Timber



1665 Royal Oak Blocked, Grained Timber




6952 Classic Oak 2 Strip, Rustic Finish



8459 Brazilian Cherry Planked, Rustic Finish





709 Highland Oak Planked, Rustic Finish



8731 Cottage Oak 2 Strip, Rustic Finish







AC4, Class 32, 1285 x 192 x 8 mm

Available in Rustic Finish, Nature Line, Super Matt or Grained Timber texture.





Suitable for heavy domestic and medium commercial use

8222 Rugged Oak 2 Strip, Nature Line



K260 Checkerboard Oak 2 Strip, Super Matt



KO39 Silverside Driftwood Multistrip, Grained Timber



4282 Reykjavik Oak 2 Strip, Nature Line



4283 Flaxen Oak 2 Strip, Nature Line



8812 Urban Legend 2 Strip, Nature Line



5552 White Oiled Oak Planked, Nature Line



K069 Sidewalk Pine 2 Strip, Grained Timber



KO40 Urban Driftwood Multistrip, Grained Timber



5958 Cabana Driftwood Multistrip, Nature Line



4291 Crusoe Oak 2 Strip, Nature Line



8096 San Diego Oak Planked, Nature Line











AC4, Class 32, 1285 x 192 x 8 mm



Favourite for everyday living.

Kronofix Classic is the ideal laminate flooring for today's busy life. This Krono Original® laminate flooring is lovely to look at, easy to care for and resistant to the scuffs and spills of everyday life. What's more, Kronofix Classic is simplicity itself to install and offers a perfect result.

A.B.C. Anti Bacterial Coating Twin Clic – Classic locking system: Clickable short and long sides

Easy to keep clean and scratch resistant








AC3, Class 31, 1285 x 192 x 7 mm

Available in Rustic Finish, Nature Line, Super Matt or Grained Timber texture.





Suitable for heavy domestic and light commercial use



8373 Manitoba Oak Planked, Rustic Finish



5968 Boardwalk Multistrip, Nature Line



8812 Urban Legend 2 Strip, Nature Line



K042 Art Works Multistrip, Grained Timber



8463 Sea Breeze Oak Blocked, Super Matt



K056 Main Oak 2 Strip, Grained Timber



7209 Liberty Oak Planked, Nature Line



4009 Rock Ridge Oak Planked, Nature Line







AC3, Class 31, 1285 x 192 x 7 mm

Available in Rustic Finish, Nature Line or Grained Timber texture.





Suitable for heavy domestic and light commercial use



ip:

Use laminate cleaner to maintain your laminate floors.

This will help prevent water from seeping into open joints.

KO34 Rivendale Ash Planked, Grained Timber



5236 Greenland Oak Planked, Rustic Finish



K071 Studio Oak 2 Strip, Grained Timber



5945 Baronial Oak Planked, Nature Line



1688 Beech Flaming Blocked, Grained Timber





K038 Bali Driftwood Multistrip, Grained Timber







AC3, Class 31, 1285 x 192 x 7 mm



Light and space open our eyes to what's truly important.




www.krono-original.com



Further laying accessories, cleaning and reparation sets, moldings and profiles you will find in our accessories catalogue "add2". Underlay: xps 2.2 alu 6000 Boderia.Dehôn **Recying Joonshildminist**

Product overview



Underlays

Depending on the situation in the room, attention must be paid to the correct underlay material when laying the floorings. For this we offer 4 underlayments.

pur 2.0

wood 5.0


This professional acoustic mat consists of mineral fillers and polyurethane binders. Pur 2.0 comes with walking sound reduction, low thermal resistance as well as integrated moisture protection are also impressive features. The insulation board is made from wood fibres and is particularly suitable for use with uneven subfloors. Because of its high wood content, a PE foil must be laid underneath for moisture protection when installing on a mineral subfloor.

xps 5.0

5 mm thick panels from extruded polystyrol. Excellent insulating properties and high impact sound reduction. Levels uneven patches of up to 4 mm.

xps 2.2 alu

The 2.2 mm thin foldable matt is easy and quick to lay out due to its bonded aluminium layer and the integrated adhesive tape.



accessories

Skirting boards

Choose from a range of skirting in various decors to suit all Krono Original[®] floors. Our clever fixing system makes it quick and simple to achieve a perfect installation. Please find here a small selection of our skirting.



K40C 2600 x 40 x 19 mm

Mounting parts

Suitable for various skirting boards.

15 meter skirting boards can be easily and professionally fitted with the contents of one packet. The set is supplied complete with screws and wall plugs.





K58C 2600 x 58 x 18 mm



Trendy skirting board, shaped 2600 x 58 x 17 mm 2600 x 70 x 17 mm 2600 x 100 x 17 mm

Corner pieces

Available for skirting systems K40C and K58C.

End cap | Internal corner | External corner Coloured corners available in white, beige, grey, silver and dark brown.







Floor profiles

Floor profiles enable you to create smooth crossovers between different rooms or floorings. End profiles also ensure perfect edge finishes.





For clean finishes and joints at walls and other boundaries. Available in the following metallic finishes: stainless steel, silver and sand brushed.

Transition profile

900 mm or 2700 m

For level floorings. For screw or click-in fixing. Available in the following metallic finishes: stainless steel, silver and sand brushed.

900 mm or 2700 mm



Ramp profile

For different level floorings. For screw or click-in fixing. Available in the following metallic finishes: stainless steel, silver and sand brushed.

900 mm or 2700 mm

| Product | Plank Size | Thickness | Planks/Pack. | m² I sq ft/Pack. | Weight/Pack. [kg lbs] | Pack./Pallet = m² I sq ft |
|-----------------------|-------------------------------|--------------------------|--------------|------------------|----------------------------|---------------------------|
| titan prestige | 1285 x 157 mm 50½" x 6¾/6" | 14 mm %16" | 7 | 1.41 15.18 | 18 39 | 30 = 42 456 |
| floordreams vario | 1285 x 192 mm 50½" x 7½" | 12 mm 1⁄2" | 6 | 1.48 15.93 | 15 34 | 52 = 77 828 |
| vintage long | 2000 x 192 mm 61/2' x 71/2" | 10 mm 3/8" | 5 | 1.92 20.67 | 16 36 | 40 = 77 826 |
| vintage narrow | 1285 x 123 mm 50½" x 47/8" | 10 mm ³ /8" | 9 | 1.42 15.31 | 12 27 | 36 = 51 551 |
| vintage classic | 1285 x 192 mm 50½" x 7½" | 10 mm ³ /8" | 7 | 1.73 18.58 | 15 33 | 52 = 90 966 |
| variostep long | 2000 x 192 mm 61/2' x 71/2" | 8 mm ⁵ /16" | 7 | 2.69 28.95 | 16 35 | 40 = 107 1157 |
| impressions | 1285 x 327 mm 50½" x 127%" | 8 mm ⁵ /16" | 6 | 2.52 27.13 | 17 38 | 30 = 76 814 |
| super natural narrow | 1285 x 123 mm 50½" x 47/8" | 8 mm ⁵ /16" | 12 | 1.90 20.41 | 13 29 | 36 = 68 735 |
| super natural classic | 1285 x 192 mm 50½" x 7½" | 8 mm ⁵ /16" | 9 | 2.22 23.89 | 15 34 | 52 = 115 1242 |
| variostep wide body | 1285 x 242 mm 50½" x 9½" | 8 mm ⁵ /16" | 8 | 2.49 26.77 | 17 37 | 39 = 97 1044 |
| variostep prestige | 1285 x 157 mm 50½" x 6¾16" | 8 mm ⁵ /16" | 12 | 2.42 26.05 | 16 36 | 30 = 73 781 |
| variostep classic | 1285 x 192 mm 50½" x 7½" | 8 mm ⁵ /16" | 9 | 2.22 23.89 | 15 34 | 52 = 115 1242 |
| castello classic | 1285 x 192 mm 50½" x 7½" | 8 mm 5/16" | 9 | 2.22 23.89 | 15 34 | 52 = 115 1242 |
| kronofix classic | 1285 x 192 mm 50½" x 7½" | 7 mm %32" | 10 | 2.47 26.58 | 15 33 | 52 = 128 1380 |

Packaging information

www.add2-flooring.com

| Dards | | | | | | | | | | | | | | | | | | | | T | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----------------------------|------|-----|------|------|------|------|------|------|------|------|------|------|-------|------|------|------|------|------|------|-------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| skirting boards | 9002 | 602 | 9871 | 9852 | 9870 | 5549 | 8466 | 4274 | 4275 | 4278 | 4283 | 4776 | 42.95 | 4275 | 5535 | 5536 | 8573 | 5530 | 5540 | 1400 | 2241 | 2242 | 5543 | 5544 | 5552 | 9807 | L002 | 1001 | 8836 | L004 | 8285 | 8574 | E003 | 5542 | 5539 | 4283 | 5543 | 5542 | 1029 | 8573 | 9833 | L004 | 8374 | L029 | 8461 | 8218 | 8093 | 8096 | 3120 | 0018 | 1018 | 8227 | 0210 | 9807 | 8282 | 8630 | 8457 | 9801 | 8461 | 8463 | 8475 | 8521 |
| ciassic kronofix | | | | | - | | - | | | | | | | - | | | | | | | | | | | | | | | - | | | | | | | | | | - | | | - | | | | | | | | | | | | | | - | | | | - | | |
| classic | | - | - | - | | - | | | - | - | - | - | 1 | | | | | | | | | | | | - | | | | | | | | | | | - | | | | | - | | | | | • | | • | | | | | • | | | | | - | | | | • |
| classic Variostep | | | | | | | | - | | | | | - | | | | | | | | | | | | | - | | | | - | | | | | - | | - | - | | - | | | | | | | | - | | | • | • | - | • | | | | | - | | | |
| Variostep | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | - | | | | | | | | | | | | | | | | | |
| vide body Wide body | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | | | | | | | | | | | | | - | | | | | | | | | | | | | | | | | | | |
| super natural dassic | | | | | | | | | | | | | | | | | | | | • | • | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| super natural marrow | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| snoizzenqmi | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| long long | | | | | | | | | | | | | | | | | | | | | | | - | | | | | | | | | | | | | | | | | | | | | | | | - | | | | | | | | | | | | | | | |
| vintage dassic | - | | | | | | | | | | | | | | - | | | | • | | | | | | | | - | | | | - | - | - | - | | | | | | | | | | | | | | | - | - | | | | | | | | | | | | |
| Vintage women | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | • | | | | | | | | | | | | |
| vintage ^{Iong} | | | | | | | | | | | | | | | | | | | | | | | | | | | - | | | | - | | - | - | | | | | | | | | | | | | | | - | - | | | | | | | | | | | | |
| floordreams | | | | | | | | | | | | | | | | | | | | • | • | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| nstit seiteaq | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | | | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| decor | 101 | 206 | 1665 | 1675 | 1688 | 3969 | 4009 | 4274 | 4280 | 4282 | 4283 | 1004 | 4795 | 5236 | 5535 | 5536 | 5537 | 5530 | 2007 | 55.41 | 2241 | 2542 | 5543 | 5544 | 5552 | 5936 | 5943 | 5944 | 5945 | 5946 | 5947 | 5948 | 5953 | 5954 | 5956 | 5958 | 5966 | 5967 | 5968 | 5985 | 6952 | 7209 | 7240 | 7389 | 7843 | 8072 | 8093 | 8096 | 6150 | 0018 | 0018 | 8222 | 8274 | 8279 | 8282 | 8373 | 8457 | 8459 | 8461 | 8463 | 8475 | 8521 |

| 8573 | 8575 | 8576 | 8630 | 8631 | 8632 | 8633 | 8634 | 9807 | 9816 | 873.5 | 0000 | 7 830 | 5915 | 8837 | 8572 | - 177 0 | 0401 | 10/6 | 43/5 | 8529 | 1029 | 5165 | 100 | LUU4 | 8466 | 5544 | TOD I | 1001 | 7/02 | 4295 | 8220 | 100 | LUU4 | 6708 | 8816 | 9855 | 1046 | 140 | 2147 | 4290 | 2030 | L047 | ROOI | 8218 | 1030 | 1001 E | 6228 | 8631 | 5541 | 4283 | 8834 | 0000 | 4001 | 8830 | L004 | 8572 | 9807 | 1003 | 1003 | C675 | L059 | 4275 | 1058 | 1010 | /cul | 98.07 | 56 40 | 2242 | L055 | 8467 | 8836 | 000 | 8092 | L060 | 1003 | 222 |
|------|------|------|------|------|------|------|------|------|------|-------|------|--------------|------|------|------|---------|------|------|------|------|------|------|------|------|------|------|-------|------|------|------|------|------|------|------|------|------|------|-------|------|------|------|------|------|------|------|--------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|-------|------|------|-------|-------|------|------|------|------|-------|------|------|------|--------|
| | | | | | | | | | | | | | - | | | | | - | | | | | • | | | • | | | | • | | | | | | | | | | | | | | - | | • | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | - | | | - | - | | | | | | | | | | • | | | | | | | | | | | | | | | | | | | - | | | | | - | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | - | | | | | | - | | | | | | | | | | | | | - | | - | | - | I | | | | | | | | • | | | - | | | | | | • | - | - | • | | | | | | | | | | • | - | | | | | | - | | | | | • | - | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | - | - | | | | | | | | | | | | | | | | | | | | - | - | • | | | | | | | | | | | | | | | | | |
| | - | | | - | | | | | | | | | | | | | | | | - | - | | | | | | | | | | | • | - | | | | | | | | | | | | | | | | | | | | | | | - | | | | | | | | | | | | | | | - | | | | | |
| - | - | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | - | | | | | | | | - | I | | | | • | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | - | | | | | | | | | | | | | | | | | | | | | | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | - | | | | | | | | | | | | | | - | - | | | | | | | | | | | • | • | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | - | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 8573 | 8575 | 8576 | 8630 | 8631 | 8632 | 8633 | 8634 | 8714 | 8731 | 8735 | 7720 | 8/00 | 8812 | 8837 | K002 | ICUA | ICON | KU34 | K035 | K036 | K037 | K038 | 0000 | 400V | K040 | K042 | KUAS | 2401 | NU4/ | K056 | K057 | 0707 | Noon | KUOI | K062 | K063 | K064 | K0.45 | CDON | KU00 | KU6/ | K069 | K070 | K071 | K750 | (CZV | K260 | K261 | K262 | K263 | VYCX | 1204 | C07V | V200 | K26/ | K268 | K269 | K271 | 1/74 | K2/3 | K2/4 | K275 | 726,7 | N2/0 | K2// | K282 | 1000 | K203 | K315 | K325 | K32K | 02001 | K32/ | K328 | K336 | 1 0001 |



Get the Krono Decor App now!

Available in Apple App Store.



Discover the wide range of products from Krono Original® – high quality flooring. This app provides an extensive overview of all flooring designs in the Krono Original® collection. Get information on almost 160 different quality floors, including designs, sizes and dimensions. You will also find our warranty information and installation instructions. For every decor we provide the corresponding item number in order to facilitate buying our quality flooring from selected retail outlets.



www.krono-original.com www.facebook.com/KronoOriginal



Kronoflooring GmbH Mühlbacher Straße 1 · 01561 Lampertswalde · Germany Tel: +49 3522 33-30 · Fax: +49 3522 33-399 · info@krono-original.com

01/19/01

Product information in this brochure is correct at time of publication. The company has a policy of continuous product development and reserves the right to change any product specifications given in this brochure. Due to the variations in the printing process, colours in this brochure may be subject to deviation from the actual products.